

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/806,439	03/23/2004		Noritaka Takahata	VX042605	1796
21369	7590	01/31/2006		EXAMINER	
POSZ LAW GROUP, PLC				ALEXANDER, MICHAEL P	
12040 SOUT	'H LAKE	S DR.			
SUITE 101				ART UNIT	PAPER NUMBER
RESTON, VA 20191				1742	

DATE MAILED: 01/31/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		(				
	Application No.	Applicant(s)				
	10/806,439	TAKAHATA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Michael P. Alexander	1742				
The MAILING DATE of this communication apperiod for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	OATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on	'					
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-8 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/o	awn from consideration.					
Application Papers						
9) The specification is objected to by the Examina  10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct the option of the specific part of the specifi	cepted or b) objected to by the lead rawing(s) be held in abeyance. See ction is required if the drawing(s) is object.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. Its have been received in Applicationity documents have been received au (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Professoration Retent Province Review (PTO 942)	4)					
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date</li> </ul>		Patent Application (PTO-152)				

Application/Control Number: 10/806,439 Page 2

Art Unit: 1742

#### **DETAILED ACTION**

This is a substitute for the Office Action mailed on 10 January 2006.

## Changes to Previous Office Action

The Examiner objected to the term "eutectoid" in the claims and stated that the term "eutectoid" throughout the specification should be "eutectic". The Examiner suggested that applicant provide a translation of at least a portion of the foreign priority documents as evidence that this was merely an error in translation and to avoid introducing new matter.

However, the Examiner has since learned that when a foreign priority document under 35 U.S.C. 119 is of record in the U.S. application file, applicant may not rely on the disclosure of that document to support correction of an error in the pending U.S. application. Ex parte Bandeau, 132 USPQ 356 (Bd. App. 1961).

Instead, the applicant should meet the standard as set forth in MPEP 2163.07 II that an amendment to correct an obvious error does not constitute new matter where one skilled in the art would not only recognize the existence of error in the specification, but also the appropriate correction. In re Odd, 443 F.2d 1200, 170 USPQ 268 (CCPA 1971).

#### Status of the Claims

Claim(s) 1-8 is/are pending.

Claim Objections

Art Unit: 1742

Claim 1 is objected to because of the following informalities: "eutectoid" in line 6 should be "eutectic". Appropriate correction is required. The Examiner suggests that applicant provide reasons why this is an obvious error. See MPEP 2163.07 II.

Page 3

## Specification

The disclosure is objected to because of the following informalities: "Wolfram" in line 3 of page 7 should be "Tungsten". Appropriate correction is required.

The Examiner the term "eutectoid" throughout the specification should be "eutectic". Appropriate correction is required. The Examiner suggests that applicant provide reasons why this is an obvious error. See MPEP 2163.07 II.

## Claim Interpretations

The Examiner will examine the claims based on the interpretation that the term "eutectoid" is instead "eutectic".

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.

**Art Unit: 1742** 

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harris et al. (US 2003/0091459 A1).

Regarding claim(s) 1, Harris teaches (abstract, 0002, 0030):

"A nickel-base superalloy that is useful for making single crystal castings exhibiting outstanding stress-rupture properties, creep-rupture properties, and an increased tolerance for grain defects contains, in percentages by weight, from about 4.7% to about 4.9% chromium, (Cr), from about 9% to about 10% cobalt (Co), from about 0.6% to about 0.8% molybdenum (Mo), from about 8.4% to about 8.8% tungsten (W), from about 4.3% to about 4.8% tantalum (Ta), from about 0.6% to about 0.8% titanium (Ti), from about 5.6% to about 5.8% aluminum (Al), from about 2.8% to about 3.1% rhenium (Re), from about 1.1% to about 1.5% hafnium (Hf), from about 0.06% to about 0.08% carbon (C), from about 0.012% to about 0.020% boron (B), from about 0.004% to about 0.010% zirconium (Zr), the balance being nickel and incidental impurities. The nickel-base superalloy provides improved casting yield and reduce component cost due to a reduction in rejectable grain defects as compared with conventional directionally solidified casting alloys and conventional single crystal alloys."

"The superalloys of this invention may contain trace or trivial amounts of other constituents which do not materially affect their basic and novel characteristics. It is desirable that the following compositional limits are observed: niobium (Nb, also known as columbium) should not exceed 0.10%, vanadium (V) should not exceed 0.05%, sulfur (S) should not exceed 5 ppm, nitrogen (N) should not exceed 5 ppm, oxygen (0) should not exceed 5 ppm, silicon (Si) should not exceed 0.04%, manganese (Mn) should not exceed 0.02%, iron (Fe) should not exceed 0.15%, magnesium (Mg) should not exceed 80 ppm, lanthanum (La) should not exceed 50 ppm, yttrium (Y) should not exceed 50 ppm, cerium (Ce) should not exceed 50 ppm, lead (Pb) should not exceed 1 ppm, silver (Ag) should not exceed 1 ppm, bismuth (Bi) should not exceed 0.2 ppm, selenium (Se) should not exceed 0.5 ppm, tellurium (Te) should not exceed 0.2 ppm, Thallium (TI) should not exceed 0.2 ppm, tin (Sn) should not exceed 10 ppm, antimony (Sb) should not exceed 2 ppm, zinc (Zn) should not exceed 5 ppm, mercury (Hg) should not exceed 2 ppm, uranium (U) should not exceed 2 ppm, thorium (Th) should not exceed 2 ppm, cadmium (Cd) should not exceed 0.2 ppm, germanium (Ge) should not exceed 1 ppm, gold (Au) should not exceed 0.5 ppm, indium (In) should not exceed 0.2 ppm, sodium (Na) should not exceed 10 ppm, potassium (K) should not exceed 5 ppm, calcium (Ca) should not exceed 50 ppm,

Art Unit: 1742

platinum (Pt) should not exceed 0.08%, and palladium (Pd) should not exceed 0.05%."

"This invention relates to superalloys exhibiting **superior high temperature mechanical properties**, and more particularly to superalloys useful for casting single crystal turbine vanes including vane segments."

With respect to the recitation "consists essentially of" in claim 1, it is the applicant's burden to establish that the amount of Mo, Re and Hf included in the alloy of Harris is excluded from his claims by consisting essentially of language. See MPEP 2111.03.

With respect to the compositional formula that Al + Ti + Ta, by atomic percent, amounts to 12.0-15.5 in claim 1, it is well settled that there is no invention in the discovery of a general formula if it covers a composition described in the prior art, In re Cooper and Foley 1943 C.D. 357, 553 O.G. 177., 57 USPQ 1 17, Taklatwalla v. Marburg, 620 O.G. 685, 1949 C.D. 77, and In re Pilling, 403 O.G. 513, 44 F(2) 878, 1931 C.D. 75. In absence of evidence to the contrary, the selection of the proportions of elements would appear to require no more than routine investigation by those ordinary skilled in the art. In re Austin, et al. 149 USPQ 685, 688. It would have been obvious to one of ordinary skill in the art to select alloy compositions fulfilling the claimed compositional relationships from the alloy compositional ranges disclosed by Harris because Harris teaches the same utility throughout the disclosed compositional ranges.

With respect to the compositional formula that the "M-value" defined by the claim formula in claim 1 is in the range of 93-98 in claim 1, it is well settled that there is no invention in the discovery of a general formula if it covers a composition described in the

Art Unit: 1742

prior art, In re Cooper and Foley 1943 C.D. 357, 553 O.G. 177., 57 USPQ 1 17, Taklatwalla v. Marburg, 620 O.G. 685, 1949 C.D. 77, and In re Pilling, 403 O.G. 513, 44 F(2) 878, 1931 C.D. 75. In absence of evidence to the contrary, the selection of the proportions of elements would appear to require no more than routine investigation by those ordinary skilled in the art. In re Austin, et al. 149 USPQ 685, 688. It would have been obvious to one of ordinary skill in the art to select alloy compositions fulfilling the claimed compositional relationships from the alloy compositional ranges disclosed by Harris because Harris teaches the same utility throughout the disclosed compositional ranges.

With respect to the limitation that the alloy contain gamma / gamma prime eutectic of, by area percentage, 1-15% in claim 1, Harris teaches (0043) that the alloy would have about 5% volume fraction (which is the same as area percentage) eutectic phase.

With respect to the limitation that the alloy contain carbides of, by area percentage, 1-10% in claim 1, the Examiner asserts that the alloy would inherently contained the claimed amount of carbides because the alloy contains 0.06 to 0.08% C.

Regarding claims 2-4, Harris teaches (abstract, 0030):

A nickel-base superalloy that is useful for making single crystal castings exhibiting outstanding stress-rupture properties, creep-rupture properties, and an increased tolerance for grain defects contains, in percentages by weight, from about 4.7% to about 4.9% chromium, (Cr), from about 9% to about 10% cobalt (Co), from about 0.6% to about 0.8% molybdenum (Mo), from about 8.4% to about 8.8% tungsten (W), from about 4.3% to about 4.8% tantalum (Ta), from about 0.6% to about 0.8% titanium (Ti), from about 5.6% to about 5.8% aluminum (Al), from about 2.8% to about 3.1% rhenium (Re), from about 1.1% to about 1.5% hafnium (Hf), from about 0.06% to about 0.08% carbon (C), from about 0.012% to about 0.020% boron (B), from about 0.004% to about 0.010% zirconium (Zr), the balance

Art Unit: 1742

being nickel and incidental impurities. The nickel-base superalloy provides improved casting yield and reduce component cost due to a reduction in rejectable grain defects as compared with conventional directionally solidified casting alloys and conventional single crystal alloys.

"The superalloys of this invention may contain trace or trivial amounts of other constituents which do not materially affect their basic and novel characteristics. It is desirable that the following compositional limits are observed: niobium (Nb, also known as columbium) should not exceed 0.10%, vanadium (V) should not exceed 0.05%, sulfur (S) should not exceed 5 ppm, nitrogen (N) should not exceed 5 ppm, oxygen (0) should not exceed 5 ppm, silicon (Si) should not exceed 0.04%, manganese (Mn) should not exceed 0.02%, iron (Fe) should not exceed 0.15%, magnesium (Mg) should not exceed 80 ppm, lanthanum (La) should not exceed 50 ppm, yttrium (Y) should not exceed 50 ppm, cerium (Ce) should not exceed 50 ppm, lead (Pb) should not exceed 1 ppm, silver (Ag) should not exceed 1 ppm, bismuth (Bi) should not exceed 0.2 ppm, selenium (Se) should not exceed 0.5 ppm, tellurium (Te) should not exceed 0.2 ppm, Thallium (TI) should not exceed 0.2 ppm, tin (Sn) should not exceed 10 ppm, antimony (Sb) should not exceed 2 ppm, zinc (Zn) should not exceed 5 ppm, mercury (Hg) should not exceed 2 ppm, uranium (U) should not exceed 2 ppm, thorium (Th) should not exceed 2 ppm, cadmium (Cd) should not exceed 0.2 ppm, germanium (Ge) should not exceed 1 ppm, gold (Au) should not exceed 0.5 ppm, indium (In) should not exceed 0.2 ppm, sodium (Na) should not exceed 10 ppm, potassium (K) should not exceed 5 ppm, calcium (Ca) should not exceed 50 ppm, platinum (Pt) should not exceed 0.08%, and palladium (Pd) should not exceed 0.05%."

With respect to the limitation that the impurity level of Cu be regulated up to 0.3% in claim 3, Harris do not specify that it is necessary that the alloy contain any Cu.

Therefore, the alloy of Harris would inherently meet this limitation.

Claims 5-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harris et al. as applied to claims 1-4 above, and further in view of the admitted prior art (see lines 16-20 in the background section of the specification of the instant application).

Art Unit: 1742

Page 8

Regarding claims 5-8, the applicant admits (see lines 16-20 in the background section of the specification of the instant application) that turbine wheels for automobile engines require heat resistant property and enough strength at high temperatures. Harris teaches (0001) that the alloy would have superior high temperature mechanical properties. It would have been obvious to one of ordinary skill in the art to combine the alloy of Harris with the turbine wheel of the admitted prior art because the alloy of Harris has superior high temperature mechanical properties.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Alexander whose telephone number is 571-272-8558. The examiner can normally be reached on M-F 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy V. King can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ROY KING
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER